

AJD 170

John Deere
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$%
CE	

2000/14/EC

&\$\$\$#(#

z) \$' z'z' D:

	"	"	"	"	Amp
400/230	170,00	136,00	155,00	124,00	224,00

fP GDE' ... GC ;) &

fDF D' ... GC " \$(**

z&(... GC

Standard Specifications

z

fl ! E

z

z

1

ALTERNATOR

fl

fl " E

fP \$\$\$# \$\$\$' E

fl " \$ E

TRANSFER SWITCH

!

AJD 170

John Deere
Mecc Alte
P 602

1

Manufacturer		John Deere														
Model		6068 H														
		<table border="1"> <tr> <td>%</td> <td>\$</td> <td>#</td> <td>"</td> </tr> <tr> <td>%</td> <td>)</td> <td>\$</td> <td>"</td> </tr> <tr> <td>Q</td> <td>\$</td> <td>\$</td> <td>< DQ</td> </tr> </table>			%	\$	#	"	%)	\$	"	Q	\$	\$	< DQ
%	\$	#	"													
%)	\$	"													
Q	\$	\$	< DQ													
	L	6,800														
	"	106 X127														
		17:1														
	fl # 7	"# "	1500													
	fl 7	L	24,60													
		L	36,50													
AbsorbedAirDischargeReSourceKey.Text	' # "	9,80														
	' # "	252,10														
	' # "	20,80														
	° C	600,00														
		12 V d.c.														
	Load	%\$i	'+) i) \$i												
	# "	34,00	26,20	17,80												

2

		Mecc Alte		
		ECP34 3L/4		
	Hz	50		
	"	160,00		
7cg'		0,80		
		3		
	fl 7	400/230		
	A	231,00		

3

		fl 7		fl 7	
	"	"	"	"	L
AJD 170	1510,00	2392,00	1150,00	1521,00	380,00
		fl 7		fl 7	
	"	"	"	"	L
AK 50	1930	3400	1217	1938	380

AJD 170

John Deere
Mecc Alte
P 602

1 D'*\$&!'



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfUhc'b'gY'YVW]b['Vi hrcbg''

8G9ža cXY''*\$&\$'5i hc' A U]bg: U]i fy Včbfc''a cXi 'Y'
6UHyfmVUf[Yf]bdi h%, !&*('j c'hžci rdi h''&+ž' 'J) '5'f&('J E'cf%' ž 'J c'h) 5'f&J k
9a Yf[YbVhrcd' di g\ 'Vi hrcb'UbX ž gYg Z'fVčbfc''V]fV]rg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VčUhb['cZghYY''dfcj]XYg Včffcg]cb
fyg]ghbghi fZUW''Dc'mYgYfVča dcg]Y' dck XYf'rcdVčUhcZcfa g\][\ ['cgg'UbX'YI hYa Y'mXi fUV'Y ž]b]g\''@cW\UV'Y
UbX\]b[YX dUbY'Xccf' dfcj]XYg YUgmUWV'gg hc''Vča dcbYbrg''

'7 cbf'c''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cW]YX'UhH'Y'f[\hig]XY'cZH'Y [YbYfUhc'f'gyhfk \Yb'mci
'cc_'UhH'Y; Yb''GYH'Zca '5'fYfbUhc'f'

H\Y''8G9''*\$&\$'j'U'ghUbXUfX Včbfc''a cXi 'Y'Z'f'ci f [YbYfUhc'f'gyhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX'[Ug[YbYfUhc'f'gyhg''H\Y'8G9''*\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUhc'f
Z'Yei YbVhžj c'žW'fYb'žYb[]bY'c']dfYggi fyžVčc'UbhY'a dYfUhi fy'fi bb]b[\ci fg'UbX'VUHY'fmj c'hg''A cXi 'Y'
a cb]rcf'g'h'Y'a U]bg'gi dd'mUbX'gk]W'c] Yf'hc'h'Y [YbYfUhc'f'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''*\$&\$'U'gc
]bX]W]Yg'cdYfUhc'bU'ghUhi g'UbX'Zi 'hVčbX]hcbgž'5i hca Uh]W'mg\i h]b['Xck b'h'Y; Yb''GYhUbX'[]]b['hfi Y'žfghi d
Zi 'hVčbX]hcb'cZ; Yb''GYhZU]i fy''H\Y'@7 8'X]gd'Um]bX]W]Yg'h'Y'Zi 'h'

A]WčdfcW'ggcf'Včbfc''YX"
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX"
(!]bYž*('1'%'&d]]Y'X]gd'Um'

5i hca Uh]W'mifUbgZ'fg'VYk'YYb'a U]bg'fi h]h'hc'UbX [YbYfUhc'f'dck Yf'
A Ubi U'dfc[fUa a]b['cb'Z'cbhdUbY''
I gYf]Z]YbX'mgYh'i d'UbX'Vi hrcb''Uhc'i h'
F Ya cHY'ghUf'h'
9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'h'a Y''
7cbf'c'g' Ghcd# YgYhž'A Ubi U'ž5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'h'Y'@7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\h'Y'a cXi 'Y'gfa YH'f]b['X]gd'Umg''

AJD 170

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghcd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' ghUf"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\] [\ YZ]VW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j'c'hUbX'&+Z'] 'Zcf'&'('] "
#bdi h% , ' !&* (' j c'h57 "' Dfc]bY' &(\$) \Ug'Z' "mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY' i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY' %&\$) #&(\$) VUf[Yf\Ug\] [\ YZ]VW'YbVW'cb["]Z'Z' "ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' "ck \YUhfUX]UfYX']b
UVV'cfXUbW'k]h' "]bYUf'U'HYfbU]h'j Yg" H\Y' VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc' fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]VW'm(_J 'Zcf\] [\ fY']UV]]m'

AJD 170

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam metarial
- 7 Lifting Points

	"	1217
fl "L	"	3400
fl "L	"	1938
	L	380